

# INDEX MAPS.

## T. 13 N. R. 12 E. 2<sup>nd</sup> Mer.

	80		79		79		78		78		78	
83	6	107	5	106	4	106	3	105	2	108	1	77
<del>109</del>	<del>107</del>	<del>104</del>	<del>107</del>	<del>104</del>	<del>106</del>	<del>105</del>	<del>106</del>	<del>105</del>	<del>105</del>	<del>108</del>	<del>109</del>	
82	7	104	8	103	9	102	10	101	11	93	12	77
<del>109</del>	<del>103</del>	<del>100</del>	<del>103</del>	<del>101</del>	<del>103</del>	<del>101</del>	<del>103</del>	<del>94</del>	<del>97</del>	<del>93</del>	<del>92</del>	
82	18	100	17	99	16	97	15	96	14	92	13	76
<del>109</del>	<del>98</del>	<del>99</del>	<del>100</del>	<del>96</del>	<del>98</del>	<del>96</del>	<del>97</del>	<del>91</del>	<del>93</del>	<del>92</del>	<del>93</del>	
81	19	98	20	95	21	95	22	91	23	90	24	76
	<del>94</del>	<del>94</del>	<del>95</del>	<del>89</del>	<del>91</del>	<del>90</del>	<del>91</del>	<del>90</del>	<del>91</del>	<del>90</del>	<del>90</del>	
81	30	93	29	88	28	87	27	85	26	85	25	76
	<del>89</del>	<del>89</del>	<del>93</del>	<del>87</del>	<del>88</del>	<del>86</del>	<del>84</del>	<del>85</del>	<del>84</del>	<del>84</del>	<del>84</del>	
81	31	88	32	87	33	86	34	84	35	83	36	75
	<del>73</del>	<del>75</del>	<del>73</del>	<del>75</del>	<del>73</del>	<del>74</del>	<del>73</del>	<del>74</del>	<del>73</del>	<del>74</del>	<del>74</del>	

## T. 14 N. R. 12 E. 2<sup>nd</sup> Mer.

	119		118		118		117		117		116	
121	6	138	5	137	4	135	3	133	2	131	1	116
	<del>140</del>	<del>138</del>	<del>136</del>	<del>136</del>	<del>134</del>	<del>134</del>	<del>133</del>	<del>133</del>	<del>131</del>	<del>131</del>	<del>131</del>	
121	7	137	8	136	9	134	10	132	11	131	12	116
	<del>139</del>	<del>137</del>	<del>136</del>	<del>135</del>	<del>134</del>	<del>134</del>	<del>132</del>	<del>132</del>	<del>130</del>	<del>130</del>	<del>130</del>	
120	18	137	17	135	16	133	15	132	14	130	13	115
	<del>139</del>	<del>141</del>	<del>136</del>	<del>128</del>	<del>128</del>	<del>127</del>	<del>125</del>	<del>125</del>	<del>123</del>	<del>123</del>	<del>123</del>	
120	19	140	20	128	21	126	22	125	23	123	24	115
	<del>138</del>	<del>130</del>	<del>13</del>	<del>140</del>	<del>128</del>	<del>126</del>	<del>124</del>	<del>124</del>	<del>122</del>	<del>122</del>	<del>122</del>	
119	30	130	29	128	28	126	27	124	26	122	25	115
<del>R. 141</del>	<del>C. 138</del>	<del>129</del>	<del>129</del>	<del>127</del>	<del>125</del>	<del>125</del>	<del>124</del>	<del>124</del>	<del>122</del>	<del>122</del>	<del>122</del>	
119	31	129	32	127	33	125	34	123	35	122	36	114
	<del>114</del>	<del>113</del>	<del>113</del>	<del>112</del>	<del>112</del>	<del>112</del>	<del>112</del>	<del>112</del>	<del>112</del>	<del>112</del>	<del>112</del>	

The figures on the lines refer to the page.

Township 13 North Range 12 East 2<sup>nd</sup> Mer. 2<sup>d</sup>

Ch. Lk. South Boundary.

Oct. 11<sup>th</sup> 1810.

Var. —

East On S. side of Sec. 31. Random line

30.00 a Spring Course N.

40.00 set temp. gr. sec. post.

65.00 a Spring Course North

80.00 set temp. post cor. to Sec. 31 & 32.

Poor Beech land.

East On S. side of Sec. 32. Random

.50 a Brook 4<sup>th</sup> wide Course N.

40.00 set temp. gr. sec. post.

62.50 a Brook 3<sup>th</sup> wide Course N.E.

79.90 a Do. 6 " " Course S.E.

80.00 set temp. post cor. to Sec. 32 & 33.

Poor Beech land.

East On S. side of Sec. 33. Random

40.00 set temp. gr. sec. post.

73.50 a Brook 15<sup>th</sup> wide C. N.E.

80.00 set temp. post cor. to Sec. 33 & 34.

Good Beech land.

East On S. side of Sec. 34. Random.

40.00 set temp. post in a brook 100<sup>th</sup> wide S.E.

62.00 River Course S.W. & kept up it.

70.00 Left River to the North.

80.00 set temp post cor. 34 & 35.

Land, 1<sup>st</sup> rate River bottom. Tim.

Walnut Ash Cherry &c.

East On S. side of Sec. 35. Random

40.00 set temp. gr. sec. post. good Beech land

42.00 a Brook 3<sup>th</sup> wide C. N.W.

80.00 set post (temp) cor. to Sec. 35 & 36.

Poor Beech Land.



74. T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>  
140 Lk?

East On E. Side of Sec. 36. Random.

7.50 a Brook 5 Lk. wide course N.

15.00 a Do. 5 " " " N. W.

40.00 Set q. sec. post, temp.

52.00 a Brook 3 Lk. wide C. N.

73.00 a Brook 4 " " C. N.

75.00 a Do. 4 " " C. N.

80.00 Set post for the cor. of Townships  
12 & 13 N. R. 12 & 13.

Measure Beech Land.

---

West On E. side of Sec. 36. Correct line

40.00 Set q. sec. post, from which

a Beech 20 in. dia. bears South 10 Lk. &

a Do. 20 " " " N 60 W. 21 " dist.

80.00 Set post cor. to Secs. 35 & 36 fr. which

a Beech 6 in. dia. bears N 63 E. 18 Lk. dist.

a Do 17 " " " S 47 W. 20 " "

---

West On E. side of Sec. 35.

40.00 Set q. sec. post, from which

a Beech - in. dia. bears S 20 W. 17 Lk. dist.

a Do. 18 " " " N 85 E. 46 " "

80.00 Set post cor. to Secs. 34 & 35. fr. wh.

a Beech 18 in. dia. bears S 77 W. 16 Lk. &

a Beech 16 " " " N 30 E. 36 " dist.

---

West On E. side of Sec. 34.

40.00 Set q. sec. post, from which

a Box elder 16 in. dia. bears N 28 E. 44 Lk.

a Do. 12 " " " N 64 W. 45 Lk. dist.

80.00 Set post cor. to Secs. 33 & 34, fr. wh.

a Beech 12 in. dia. bears S 49 W. 7 Lk. dist. &

a Do. 10 " " " N 75 E. 12 " "

---

West On E. side of Sec. 33.

75.

T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. And

- 40.00 Set q. sec. post. from which  
 a Beech 16 in. dia. bears S 58 W. 14 lks. dist. &  
 a Wh. Oak 16 in. dia. " N 81 E. 23 lks. "
- 80.00 Set post cor. to sec. 32 & 33, from wh.  
 a Beech 24 in. dia. bears N 58 W. 24 lks.  
 a Beech 16 " " " S 12 E. 38 lks. dist.

West Cor. S. side of sec. 32.

- 40.00 set q. sec. post. from which  
 a Beech 36 in. dia. bears N 60 E. 9 lks. dist.  
 a Beech 12 " " " N 47 W. 10 " "
- 80.00 Set post cor. to sec. 31 & 32. fr. wh.  
 a Beech 8 in. dia. bears N 60 E. 5 lks. dist.  
 a Beech 16 " " " N 87 W. 21 " "

West Cor. S. side of sec. 31.

- 40.00 Set q. sec. post. from which  
 a Poplar 50 in. dia. bears East 12 lks. dist.  
 a Beech 24 " " " West 26 " "
- 80.00 To Town Corner.

October 1810.

Surveyed in 1810.

By A. Holmes Dep. Sur.

East Boundary.

Oct. 16<sup>th</sup> 1810.

Var. —

North Cor. E. side of sec. 36.

- 5.50 a Spring Course W.  
 21.00 a Do. " N. W.  
 24.75 a Poplar 36 in. diam.  
 40.00 Set q. sec. post. from which  
 a Beech 16 in. dia. bears S 2 W. 22 lks. dist. &  
 a Beech 14 " " " N 45 E. 30 " "
- 43.00 a Brook 30 lks. wide C. W.  
 56.00 a Do. 3 " " C. W.  
 80.00 Set post cor. to sec. 25 & 36. fr. wh.

46. T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>o</sup>

Ch. 1<sup>st</sup> a Buckeye 8 in. dia. bears S 2 E. 24 lb. dist.  
a Walnut 45 " " " S 22 W. 21 " dist.  
Hilly Beech land.

---

North On E. side of sec. 25.

6.50 a Brook 30 lb. wide C. W.  
11.50 a Do. 3 " " C. D. E.  
13.17 a Beech 10 in. dia.  
26.00 a Brook 3 lb. wide S. W.  
30.00 a Do. 3 " " C. D. E.  
40.00 Set gr. sec. post, from which  
a Beech 16 in. dia. bears S 1 E. 9 lb. dist.  
a Do. 18 " " " S 24 W. 42 " "  
65.00 a Spring Course E.  
67.00 a Beech 24 in. diam.  
80.00 Set post cor. to Sect. 24 & 25, from wh.  
a Sugar 16 in. dia. bears S 4 E. 18 lb. dist.  
a Sugar 16 " " " N 10 W. 34 " "  
Land 1<sup>st</sup> part hilly Tim. Beech Sugar  
and Poplar. Last part good Beech land.

---

North On E. side of sec. 24.

27.00 a Beech 24 in. diam.  
40.00 Set gr. sec. post, from which  
a Beech 8 in. dia. bears S 2 E. 7 lb. dist.  
a Do. 12 " " " S 6 E. 35 " "  
60.00 a Brook 3 lb. wide C. W.  
66.50 a Do. 3 " " C. W.  
80.00 Set post cor. to Sect. 13 & 24, from wh.  
a Poplar 18 in. dia. bears N 35 E. 3 lb. dist.  
a Sugar 8 " " " S 35 W. 10 " "  
Land 1<sup>st</sup> part Rich & level. Timb.  
Sugar Beech & Poplar. Last part  
hilly Beech land.

---

North On E. side of sec. 13.

T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

77.

- 3.00 a Brook 3 lks. wide C. N. W.  
24.00 a Do. 3 " " " N. W.  
33.00 a Do. 3 " " " W.  
Hilly Beech land.  
40.00 set gr. sec. post, from which  
a Beech 24 in. dia. bears N 43 E. 13 lks. dist.  
a Do. 8 " " " S 10 W. 24 " "  
61.50 a Brook 25 lks. wide C. W.  
80.00 set post cor. to sec. 12 & 13, fr. wh.  
a Poplar 30 in. dia. bears S 85 E. 14 lks. &  
a Beech 24 " " " S 68 W. 31 " dist.  
Good land. Limb. Beech Sugar  
and Poplar.
- 

North on E. side of sec. 12.

- 6.50 a Brook 5 lks. wide C. W.  
30.50 a Beech 10 in. diam.  
40.00 set gr. sec. post, from which  
a Sugar 12 in. dia. bears N 16 E. 9 lks. dist.  
a Beech 18 " " " S 28 W. 16 " "  
54.00 a Brook 3 lks. wide C. W.  
80.00 set post cor. to Sec. 1 & 12, fr. wh.  
a Sugar 9 in. dia. bears S 8 E. 3 lks.  
a Beech 24 " " " N 33 E. 23 " dist.  
Good Beech land.
- 

North on E. side of sec. 1.

- 11.00 a Brook 10 lks. wide C. W.  
32.50 a Sugar 18 in. diam.  
40.00 set gr. sec. post, from which  
a Sugar 18 in. dia. bears N 57 W. 12 lks.  
a Beech 8 " " " S E. 10 lks. dist.  
Very Rich land & level. Limb.  
Sugar Beech Ash & Elm.  
80.00 set post cor. to Towns 13 & 14 in  
Ranges 12 & 13 E. from which



78. T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind.

Ch. W. a Beech 12 in. dia. bears S 3 E. 19 Mo.  
a Sugar 14 " " " N 21 E. 19 " St.  
Surveyed in 1819.  
By A. Holmes,  
Deputy Surveyor.

---

North Boundary.

West On S. side of sec. 36. T. 14 N. R. 12 E.  
10.00 a Brook 3 lks. wide C. S.  
21.50 a Walnut 30 in. dia.  
40.00 Set gr. sec. post, from which  
a Buckeye 10 in. dia. bears N 79 E. 10 lks. &  
an Elm 20 in. dia. bears S 41 W. 16 lks. dist.  
65.00 To River 300 lks. wide C. S.  
80.00 Set post Cor. to Sect. 35 & 36. fr. wh.  
an Ash 15 in. dia. bears N 5 E. 16 lks. dist. &  
a Buckeye 10 in. " " N 15 W. 15 " "  
first rate land. Timber Sugar, Elm  
Ash Buckeye &c.

---

West On S. side of sec. 35. T. 14 N. R. 12 E.  
40.00 Set gr. sec. post from which  
a Beech 24 in. dia. bears S 23 W. 19 lks. &  
a Do. 16 " " " N 5 E. 26 lks. dist.  
74.00 a Brook 4 lks. wide C. S.  
80.00 Set post Cor. to Sect. 34 & 35. fr. wh.  
a Beech 24 in. dia. bears S 23 W. 19 lks. dist.  
a Do. 16 " " " N 5 E. 24 lks. dist.  
74.00 a Brook 3 lks. wide C. S.  
80.00 Set post Cor. to Sect. 34 & 35. fr. wh.  
a Beech 10 in. dia. bears S 67 E. 7 lks. dist. &  
a Beech 8 " " " N 85 W. 15 " "  
First rate Beech Land.

---

West On S. side of sec. 34. T. 14 N. R. 13 E.



T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. And 79.  
Ch. M.

- 4.00 a creek 75 ft. wide C. S. E.  
12.00 crossed one fork of creek at the mouth  
25.00 Encamp<sup>g</sup> Oct. 17<sup>th</sup> 1810.  
31.00 a creek 60 ft. wide C. S. E. Kept up  
the creek, in it.  
39.00 Left the creek to the right.  
40.00 set gr. sec. post. from which  
a Sugar 14 in. dia. bears S 2 E. 16 ft. dist. X  
a Sugar 18 " " " N 20 W. 37 " "  
68.00 a Brook 5 ft. wide course North.  
68.50 a Sugar 14 in. diam.  
80.00 set post cor. to Sec. 33 & 34, from which  
a Beech 10 in. dia. bears N 56 E. 18 ft. dist. X  
a Sugar 24 " " " N 47 W. 22 " "  
Good Beech land.
- 

- West On S. side of sec. 32. T. 14 N. R. 12 E.  
2.00 a Brook 3 ft. wide course N.  
10.00 a Do. 3 " " " N.  
28.00 a Do. 3 " " " N. E.  
40.00 a Beech 10 in. diam. for gr. sec. post.  
from which. hilly Beech land.  
a Beech 12 in. dia. bears N 31 E. 15 ft. dist. X  
48.00 a Brook 5 ft. wide C. N.  
52.00 a Do. 3 " " C. S. E.  
77.50 a Do. 3 " " C. N.  
80.00 set post cor. to Secs 32 & 33, fr. wh.  
a Cherry 6 in. dia. bears N 81 W. 14 ft. dist.  
X Sugar 10 " " " S 87 E. 22 ft. dist.  
Land, high level. Timber Beech,  
Sugar, Ash &c.
- 

- West On S. side of sec. 32. T. 14 N. R. 12 E.  
16.00 a Spring course N.  
28.00 a Brook 5 ft. wide C. N.  
Good Beech land.

T. 13 N. R. 12 E. 9<sup>th</sup> Mer. Ind.

- 40.00 Set q. sec. post from which  
a Sugar 28 in. dia. bears N 7 E. 12 lb. dist.  
a Beech 12 " " " S 12 E. 33 " "
- 50.68 a Do. 18 " "
- 76.00 a Brook 5 lbs. wide C. South.
- 79.50 a Do. 20 " " C. South.
- 80.00 Set post cor. to Sec 31 & 32, fr. which  
a Sugar 14 in. dia. bears S 5 E. 8 lb. dist.  
a Beech 12 " " " S 12 E. 21 " "  
Good Land. Timber Oak and  
Beech & Poplar.

West On E. side of Sec. 31. T. 14 N. R. 12 E.

24.50 a Walnut 30 in. diam.

- 40.00 Set temp. q. sec. post. & took bearings  
a Beech 6 in. dia. bears S 70 W. 8 lb. dist.  
a Sugar 16 " " " N 43 E. 19 " "

43.60 Intersect Boundary where we left  
it cor. to Towns 13 & 14 N. R. 12 E. set  
post from which  
an Elm 12 in. dia. bears S 27 E. 19 lb. dist.  
a Sugar 10 " " " N 53 E. 17 " "  
Surveyed in 1810.

By A. Holmes. Dep. Sur.

60.00 a Branch 6 lbs. wide C. S. E.

69.00 a Do. 6 " " C. N. E.

84.10 Intersect N. line between Ranges  
11 & 12 E. & set post cor. to Towns 13 & 14  
East from which  
a Beech 12 in. dia. bears S 44 W. 28 lb. &  
a Do. 12 " " " S 89 E. 34 lb. dist.  
Good farming land. Timber: Beech,  
Sugar, Ash, Elm, Oak. Walnut &  
Undergrowth Spice & Sassafras.  
July 12<sup>th</sup> 1819.

John M. Donald, D.S.

S. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind. 9<sup>th</sup>

ch. 1<sup>st</sup> l.

West Boundary.

Var. 5<sup>th</sup> 45<sup>th</sup> E.

North On E. Side of sec. 36. S. 13 N. R. 11 E.

16.00 a Spring C. E. Broken  
23.50 a Brook 3 lks wide C. E. Beech land.  
32.50 a " 3 " " " E.

40.00 Set gage post, from which  
a Beech 18 in. dia. bears N 42 W. 10 lks dist. }  
a Do. 8 " " " S 75 E. 21 lks dist. }

56.00 a Brook 3 lks wide C. E.

62.00 a Spring Course E.

63.75 a Beech 18 in. dia.

75.00 a Brook 3 lks wide C. E.

80.00 Set post Cor. to Sec. 25 & 26, from wh.  
a Sugar 16 in. dia. bears N 50 E. 22 lks dist. }  
a Do. 16 " " " S 23 W. 25 " " }

Land, very much broken with  
deep guts. Limb. Beech Sugar  
and Poplar.

North On E. Side of sec. 25. S. 13 N. R. 11 E.

24.75 a Beech 24 in. diam.

40.00 Set g. Sec. post from which  
an Ash 16 in. dia. bears N 2 E. 11 lks dist. }  
a Beech 18 " " " N 46 " " }

45.00 a Brook 4 lks wide C. N. W.

57.00 a Do. 15 " " C. E.

65.00 a Beech 16 in. diam.

80.00 Set post Cor. to sec. 24 & 25, from wh.  
a Beech 24 in. dia. bears N 32 W. 11 lks dist. }  
a Do. 10 " " " S 6 E. 12 " " }

Rich hilly land. Sugar Poplar  
Beech &c.

North On E. Side of sec. 24. S. 13 N. R. 11 E.

29.75 an Ash 16 in. diam.

T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. 2<sup>nd</sup> "   
 Ch. No.

- 37.00 a brook 15 lks. wide course E.  
 40.00 Set gr. sec. post, from which  
 a No. Oak 18 in. dia. bears N 30 W. 16 lks. &  
 a Beech 18 " " " S 68 E. 27 " dist.  
 58.50 a Beech 20 " "  
 60.00 a brook 60 lks. wide course S. E.  
 65.00 a Brook 5 lks. wide course W.  
 80.00 Intersect Boundary Line 175 lks. S.  
 of tempy. post marked the corners  
 of sec. 18 & 19 in T. 12 & 24 in R. 11  
 a No. Oak 24 in. dia. bears N 20 E. 21 lks. &  
 a Beech 20 " " " South 28 " dist.  
 1810. Uilly Beech Land. A. Holmes, S.S.

- North On E. side of sec. 13. T. 13 N. R. 11 E.  
 a Beech 25 in. dia. bears N 57 W. 13 lks. &  
 a Do. 12 " " " N 89 E. 23 " dist.  
 18.47 a Beech 27 in. " Var. 6° 30' E.  
 40.00 Set gr. sec. post, from which  
 a Beech 6 in. dia. bears S 40 E. 10 lks. dist.  
 a Do. 6 " " " N 42 W. 19 " "  
 69.61 a Sugar 21 in. diam.  
 80.00 set post cor. to sec. 12 & 13 East  
 from which  
 a Beech 10 in. dia. bears N 51 W. 19 lks. dist.  
 a Do. 12 " " " S 1 E. 33 lks. dist.  
 Land on first half mile broken.  
 2<sup>nd</sup> half good farming land.  
 Timber. Beech, Sugar Ash Elm,  
 Oak Hickory, Spice Palopaw &c.

- North On E. side of sec. 12. T. 13 N. R. 11 E.  
 2.91 a Beech 33 in. diam.  
 40.00 set gr. sec. post, from which  
 a Sugar 14 in. dia. bears S 44 W. 18 lks. dist.  
 a Beech 25 " " " S 61 E. 15 " "



T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

80.00 Set post cor. to sec. 11 & 12, from which  
a Poplar 16 in. dia. bears N 32 W. 28 lb. dist.  
a Do. 21 " " " S 68 E. 25 " "  
Good farming land. Timber the same  
as on last mile.

North On E. side of Sec. 1. T. 13 N. R. 12 E.

5.42 a Beech 20 in. diam.  
7.50 a Branch 5 lb. wide course S. W.  
21.00 a Do. 4 lb. wide " S. W.  
40.00 Set gr. sec. post, from which  
an Ash 36 in. dia. bears S 51 W. 13 lb. dist.  
a Sugar 16 " " " S 89 E. 4 " "  
49.50 a Branch 4 lb. wide course E.  
51.35 a Beech 27 in. diam.  
81.50 Intersect E. & W. line & set post cor. of  
Town 13 & 14 N. R. 11 & 12 E. fr. wh.  
Good farming Land. Beech Pop-  
lar Walnut Ash, Sugar, Hickory.  
&c. Mud, Spice & Pawpaw.  
July 13<sup>th</sup> 1819.

### Subdivision.

January 1<sup>st</sup> 1811.

North Between sections 25 & 26.

20.50 a Run 45 lb. wide N 75 W.  
25.70 a Sugar 10 in. diam.  
40.00 Set gr. sec. post, from which  
a Sycamore 24 in dia. bears S 1 E. 5 lb. dist.  
an Elm 15 in. dia. bears N 22 E. 47 " "  
66.70 a Beech 18 " "  
80.00 Set post cor. to sec. 25, 26, 35 & 36.  
a Sugar 12 in. dia. bears S 5 E. 38 lb. dist.  
a Do. 6 " " " N 21 W. " " "  
This mile over till 3<sup>rd</sup> rate land.  
Oak, Beech Poplar & Sugar.



84. T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>d</sup>.

Ch. Hk.

East On Random bet<sup>n</sup> sec. 25 & 36.

40.00 Set temp. gr. sec. post.

47.25 a stream course S.

61.30 a " " S.

77.50 a Run 25 lb. wide crs. S.W.

80.62 Fell 34 lb. S. of post.

This mile over till 3<sup>rd</sup> rate  
land. Timber Beech, Oak Poplar  
and Sugar.

---

West Corner line bet<sup>n</sup> sec. 25 & 36.

40.31 Set gr. sec. post, from which  
a Beech 10 in. dia. bears W. 16 lb. dist. &  
a do. 10 " " " S 45 E. 7 " "

80.62 Section corner

---

North Between Sections 34 & 35.

13.00 Crossed the mouth of a creek 50 lb. wide

31.50 To West fork of White Water.

35.50 a B. Oak 50 in. diam.

40.00 set gr. sec. post, from which  
a Beech 15 in. dia. bears N 4 W. 19 lb. dist. &  
a do. 20 " " " S 41 W. 17 " "

60.18 a do. 18 " "

80.00 an Elm 12 in. dia. ~~was~~ for post corner  
to sec. 26, 27, 34 & 35.

This mile over a 2<sup>nd</sup> rate level  
land. Timber Beech, Oak & Sugar.

---

East On Random between 26 & 35.

2.75 To W. Fork of White Water which  
the line follows down 18.50 at  
which place it turns and runs  
South.

27.00 To the River Hills

40.00 Set temp. gr. sec. post.

S. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind. <sup>85.</sup>  
Ch. W.

80.60 Set 34 Ch. N. of post.

Over hilly 3<sup>rd</sup> rate land. Timber, Oak  
Beech and Poplar.

---

North Between Sec. 25 & 26.

40.00 Set gr. sec. post. from which  
a Beech 12 in. dia. bears N 10 W. 13 Ch. dist.  
a Do. 10 " " " N 45 W. 30 " "

52.50 a Stream 12 Ch. wide E. W.

69.62 a Wh. Ash 40 in. diam.

75.50 a small water course runs N. W.

80.00 set post cor. to Sec. 23, 24, 25 & 26. —  
a Beech 20 in. dia. bears N 73 E. 45 Ch. dist.

a Sugar 8 " " " N 76 W. 35 " "

This cor. on the North Boy a Run  
15 Ch. wide E. W.

This mile over 2<sup>nd</sup> rate land.  
Some broken. Timber Beech.  
Oak Poplar Ash & Sugar.

---

West Corner line between Sec. 26 & 35.

40.20 Set gr. sec. post. from which  
a Beech 6 in. dia. bears S 67 W. 18 Ch. dist.  
a Beech 7 " " " N 14 E. 17 " "

80.60 Sec. corner.

---

North Between Sec. 26 & 27.

.75 To W. Water 275 Ch. wide runs S. 80 E.

27.08 an Elm 15 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 36 in. dia. bears N 62 E. 47 Ch.  
a Do. 15 " " " S 23 W. 36 " dist.

41.02 a Do. 30 " " "

58.90 a Beech 18 in. diam.

80.00 Set post cor. to Sec. 22, 23, 26 & 27.  
a Buckeye 8 in. dia. bears S 67 E. 14 Ch. dist.

T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch. Sh. a Buckeye 10 in. dia. bears N 69 W. 30 lb. dist.  
Land; 27 Ch. on the S. End of this mile  
over low Bottom. Tim. Colon. —  
Sugar and Sycamore. the rest over  
the edge of the River, hills with  
the bottom to the W. Timber,  
Beech, Oak Poplar & Sugar.

North Between sections 33 & 34.

14.50 a Beech 15 in. diam.

33.00 a Run 40 Ch. wide C. D. E.

40.00 Set gr. sec. post from which  
a Bl. Ash 9 in. dia. bears N 35 W. 8 lb. dist. &  
an Elm 4 " " " S 48 E. 8 " "

68.04 a Beech 15 " "

80.00 Set post cor. to Sec. 27, 28, 33 & 34, from wh.  
a Beech 14 in. dia. bears S 22 E. 23 lb. dist. &  
a Do. 10 " " " N 61 W. 12 " "  
This mile over level 2<sup>nd</sup> rate land.  
Tim. Beech Ash Poplar & Sugar.

East. On Meander between Sec. 27 & 34.

33.50 a Stream Course S.

40.00 Set gr. sec. post temp.

69.10 a Stream 10 Ch. wide C. D.

80.04 Intersect N & S line 10 lb. p. of post.  
This mile over 2<sup>nd</sup> rate land some  
broken — heavy timber Beech —  
some Ash Poplar & Sugar.

West correct line between Sec. 27 & 34.

40.02 Set gr. sec. post from which  
a Beech 10 in. dia. bears N 85 W. 15 lb. dist.  
a Beech 7 " " " N 70 E. 8 " "

80.04 Sec. Cor.

July 2<sup>nd</sup> 1811.

87.

T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind.

North Between Sec. 32 & 33.

14.60 a Beech 18 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 15 in. dia. bears S 74 W. 28 lb. dist.  
a Wh. Oak 8 " " " N 54 E. 3 lb. dist.

45.00 a stream course E.

79.90 a Beech 12 in. diam.

80.00 Set post cor. to Sec. 28, 29, 32 & 33.  
a Beech 12 in. dia. bears N 23 E. 21 lb. dist. &  
a Do. 6 " " " S 41 E. 2 lb. dist.  
Over hilly 3<sup>rd</sup> rate land. Tim.  
Oak, Beech Poplar & Sugar.

East On Random betw<sup>n</sup> Sec. 28 & 33.

30.00 a Run 30 lb. wide cor. S. E.

40.00 Set temp. gr. sec. post.

65.40 a Run 25 lb. wide C. D.

80.16 Fell 18 lb. S. of post.

The 1<sup>st</sup> 1/2 of this mile over  
hilly 3<sup>rd</sup> rate land. Timb.  
Beech, Oak, & Poplar. The  
East half of this mile is level  
1<sup>st</sup> rate land. Beech. Ash Sugar  
and Poplar.

North Between Sec. 27 & 28.

15.00 a Poplar 3 feet diam.

22.25 a stream course W.

40.00 Set gr. sec. post. from which  
a Beech 10 in. dia. bears S 26 W. 19 lb. dist.  
a Do. 14 " " " N 55 E. 17 " "

63.35 a Sugar 15 " " (a Beech 22 in. diam.  
for post cor. to sec.)

80.00 Set post. cor. to Sec. 21, 22, 27 & 28.  
Over 2<sup>nd</sup> rate land soil same  
broken. Timb. Oak, Beech, Sugar  
Poplar.



S. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Twp.

West corner line betw<sup>n</sup> sec. 28 & 33.

40.08 Set gr. sec. post, from which  
a Beech 24 in. dia. bears S 92 E. 11 lks.  
a Beech 10 " " " S 84 W. 34 lks. dist.  
80.16 Section corner.

North Between Sections 28 & 29.

13.50 a stream 10 lks. wide course E.  
18.50 a Run 50 " " " S 74 E.  
40.00 Set gr. sec. post, from which  
an Elm 15 in. dia. bears N 50 W. 13 lks. dist.  
a Buckeye 8 in. " " S 56 W. 15 " "  
40.50 a stream 12 lks. wide c. S. E.  
71.95 a Ash 15 in. dia.  
80.00 Set post cor. to sec. 20, 21, 28 & 29,  
a Poplar 4 feet dia. bears S 40 E. 8 lks. &  
a sugar 12 in. " " N 34 W. 15 " dist.  
18 on the south end of this mile  
over hilly 3<sup>rd</sup> rate land. Spruce.  
Oak, Beech Sugar Ash & Walnut  
The Remainder over level 1<sup>st</sup> rate  
land.

North Between Sections 31 & 32.

14.00 a Poplar 5 feet diam.  
30.50 a stream 15 lks. wide N. 20 E.  
40.00 Set gr. sec. post, from which  
a Beech 14 in. dia. bears N 39 W. 25 lks. dist.  
+ a 80.24 " " " S 64 E. 24 " "  
58.00 a Beech 18 in. diam.  
60.50 a stream 16 lks. wide c. N. E.  
80.00 Set post cor. to Sec. 29, 30, 31 & 32,  
" a Beech 14 in. dia. bears S 16 E. 17 lks. dist. &  
a Do. 6 " " " N 28 W. 4 " "  
Hilly 3<sup>rd</sup> rate land. Spruce Beech  
Oak & Poplar.



89.

S. 13 N. T. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>  
ch. 44.

West Between Secs 30 & 31.

21.50 a Run 16 lks. wide N 30 E.

39.50 a Beech 10 in. diam.

40.00 set gr. sec. post. from which  
a Sugar 14 in. dia. bears S 49 W. 13 lks. &  
a Beech 6 " " " N 56 E. 37 " dist.

45.00 a stream 8 lks. wide course S.

55.00 a Do. " " " " "

66.76 a Wh. Oak 12 in. diam.

79.25 Intersect W. Boundary 16 lks. N. of Holmes  
post and set post. loc. to sec. 30 & 31.

a Sugar 14 in. dia. bears S 62 W. 26 lks. &

a Do. 16 " " " N 69 E. 34 " dist.

Over hilly 3<sup>rd</sup> rate land. Timber.  
Beech, Oak Poplar Sugar.

Jan. 3<sup>rd</sup> 1811.

---

East On Random between sec. 29 & 32.

12.50 a stream 25 lks. wide crs. N 30 E.

40.00 set temp. gr. sec. post.

78.70 a stream course N.

79.89 Hell 22 lks. N. of post.

Over hilly 3<sup>rd</sup> rate land. Timber.  
Poplar Beech and Oak.

---

East On Random between sec. 22 & 27.

38.50 a stream runs South.

40.00 set temp. gr. sec. post.

40.00 Into the River Bottom.

48.50 a Bayou 55 lks. wide

67.00 To W. Water 250 lks. wide crs. S 16 W.

80.22 Hell 13 lks. S. of post.

All this mile over good 2<sup>nd</sup> rate  
land. Timber, Beech, Poplar,  
ash and Sugar.

S. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

East On Random betw<sup>n</sup> Secs 23 & 26.

40.00 set temp. gr. Sec. post.

62.50 a stream 15 ft. wide c. N.W.

80.08 Intersect N & S. line at post.

This mile over rough 3<sup>rd</sup> rate land.  
Timber, Beech, Poplar & Sugar.

East On Random betw<sup>n</sup> Secs 24 & 25.

40.00 set temp. gr. Sec. post.

56.75 a stream course c. N.W.

80.21 Well 14 ft. S. of post.

This mile over broken 3<sup>rd</sup> rate land.  
Beech, Poplar Ash & Sugar.

West Corner line betw<sup>n</sup> Secs 24 & 25.

40.10<sup>1</sup>/<sub>2</sub> set gr. Sec. post. from which

a B. Gum 24 in. dia. bears S 60 W. 17 ft. dist.

a Beech 10 " " " N 60 E. 27 " dist.

80.21 Section corner.

North Between Secs 23 & 24.

16.85 a stream 7 ft. wide course W.

22.75 a Wh. Oak 18 in. dia.

40.00 set gr. Sec. post. from which

a B. Oak 24 in. dia. bears N 45 E. 16 ft. dist.

& a B. Oak 30 " " " S 53 W. 28 " "

64.20 a stream 12 ft. wide c. C. W.

71.23 a Sugar 18 in. dia.

80.00 set post cor. to Secs 13, 14, 23 & 24, fr. wh.

a Beech 14 in. dia. bears N 82 W. 12 ft. dist. &

a Sugar 24 " " " N 87 E. 45 " "

This half over milly 3<sup>rd</sup> rate land.

Tim. Beech, Oak Poplar & Sugar.

1<sup>st</sup> half mile level 1<sup>st</sup> rate. Tim.

Beech Poplar Sugar & Ash.

S. 12 N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

West corner line between sec<sup>s</sup> 23 & 26.

40.04 set gr. sec. post. from which  
a Beech 16 in. dia. bears S 4 E. 7 1/2 lb. dist.

4a Do. 20 " " " N 24 W. 15 " "

80.08 section corner.

North Between sec<sup>s</sup> 22 & 23.

44.00 To W. Water 225 lb. wide b. W.

32.45 a Buckeye 12 in. diam.

40.00 set gr. sec. post. from which  
a Bl. Walnut 10 in. dia. bears N 40 W. 26  
lb. dist. and a Buckeye 8 in. diam.  
bears S 34 W. 21 lb. dist.

70.50 a Cherry 12 in. diam.

80.00 set post. cor. to sec<sup>s</sup> 14, 15, 22 & 23.

a Beech 14 in. dia. bears N 38 W. 13 lb. &

a Do. 18 " " " S 23 E. 42 lb. dist.

Ship mile over 1<sup>st</sup> rate bottom  
land. Timber: Walnut, Buckeye  
Beech & Sugar.

West corner line between sec<sup>s</sup> 22 & 27.

40.11 set gr. sec. post. from which  
a Beech 14 in. dia. bears S 83 E. 20 lb. dist.

a Do. 15 " " " N 25 W. 25 " "

80.22 section corner

January 5<sup>th</sup> 1811.

East On Random betw<sup>n</sup> sec<sup>s</sup> 14 & 23.

40.00 set temp. gr. sec. post.

60.00 The West Fork of W. Water. C. S. W.

80.16 Well 13 lb. S. of post.

This mile over 1<sup>st</sup> rate bottom  
land. Timbered with Sugar Ash  
Walnut, Buckeye &c.

92. S. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind.  $\frac{1}{4}$

East On Random between Secs. 12 & 24.

40.00 set temp. gr. sec. post.

41.15 a stream 12 lb. wide course N 65 W.

56.00 a do. 14 " " " North.

80.22 Well 35 lb. S. of post.

This mile over hilly 3<sup>rd</sup> rate land. Beech Oak Poplar & Sugar.

---

West correct line betw<sup>n</sup> sec. 12 & 24.

40.11 set gr. sec. post. from which  
a Beech 7 in. dia. bears N 49 W. 7 lb. dist.  $\frac{1}{4}$

a do. 10 " " " S 27 E. 44 " "

80.22 section corner.

---

North Between sections 12 & 14.

8.50 a stream 15 lb. wide runs W.

16.85 a blackberry 15 in. diam.

40.00 set gr. sec. post. from which  
a Buckeye 7 in. dia. bears N 31 W. 5 lb. dist.  $\frac{1}{4}$   
a sugar 6 " " " S 46 W. 7 " "

55.50 a run 20 lb. wide E. W.

80.00 set post cor. to sec. 11, 12, 13 & 14, fr. wh.  
a Buckeye 7 in. dia. bears N 3 E. 5 lb. dist.  $\frac{1}{4}$   
& a blackberry 12 " " " S 14 W. 27 " "

This mile over 1<sup>st</sup> rate bottom land. Beech, Walnut Sugar.

---

East On Random between Secs. 12 & 13.

40.00 set temp. gr. sec. post.

60.50 a stream 15 lb. wide E. S. W.

80.24 Well 13 lb. S. of post.

This mile over a level thin soil. Timber Beech, Poplar & Sugar.

---

West correct line betw<sup>n</sup> sec. 12 & 13.



S. 13 N. 16. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch. W.

West corner line between Sec. 12 & 13.

40.12 Set gr. Sec. post, from which  
a Beech 12 in. dia. bears S 15 E. 28 Ch. dist. &  
a Sugar 22 " " N 88 E. 18 " "

80.24 Sec. corner.

North Between Sec. 11 & 12.

7.40 a Sugar 15 in. dia.

40.00 a Blackberry 8 in. dia. for gr. Sec. post.

62.58 a Hickory 10 in. dia.

80.00 Set post cor. to Sec. 12. 11 & 12, from which  
a Hickory 14 in. dia. bears N 45 E. 44 Ch. dist. &  
a Sugar 15 " " " S 32 W. 7 Ch. dist.

This mile is over level bottom  
land soil thin. Timber, Sugar,  
Beech, Oak, and Blackberry thick  
undergrowth.

West corner line between Sec. 14 & 23.

40.08 Set gr. Sec. post, from which  
a Sugar 16 in. dia. bears N 36 W. 32 Ch. dist.  
a Bl. Ash 12 in. " " S 65 E. 15 " "

80.16 Section cor.

January 6<sup>th</sup> 1811.

West corner line between Sec. 29 & 32.

39.93 $\frac{1}{2}$  Set gr. Sec. post, from which  
a Beech 9 in. dia. bears S 5 E. 31 Ch. dist.  
a Beech 5 " " " N 41 W. 18 " "

79.87 Section corner.

North Between Sections 29 & 30.

3.75 a Run 16 Ch. wide course N. E.

16.50 a Stream 12 " " " E.

25.75 a Hickory 14 in. diam.

40.00 Set gr. Sec. post from which



S. 13 N. N. 12 E. 2<sup>nd</sup> Mer. Ind.

Ch. Lk. a Beech 15 in. dia. bears N 77 E. 31 Lk. dist.

a Do. 12 " " " S 25 W. 15 " "

59.00 a Run 50 Lk. wide S 70 E.

80.00 set post loc. to sec. 19, 20, 29 & 30,

a Beech 12 in. dia. bears S 24 W. 27 Lk. &

a Beech 6 " " " N 17 W. 25 " dist.

This mile over hilly 3<sup>rd</sup> rate land.

Timb. Beech, Oak, and Poplar.

West Between sections 19 & 30.

28.50 a Run 40 Lk. wide course S. E.

30.05 a Beech 18 in. dia.

40.00 set gr. sec. post. from which

a Beech 20 in. dia. bears N 68 E. 38 Lk. dist.

a Do. 22 " " " N 47 W. 14 " "

49.30 a Sugar 12 in. "

79.41 Intersect W. Boundary 27 Lk. North  
of Holmes' post and set post. loc.

to sec. 19 & 30, from which

a Beech 20 in. dia. bears S 8 W. 20 Lk. dist.

a Sugar 8 " " " N. 20 " "

This mile over hilly 3<sup>rd</sup> rate land.

Beech, Oak Poplar & Sugar.

East on Main road between sec. 20 & 29.

17.00 a stream 12 Lk. wide runs S.

35.25 a " " " " " "

40.00 set temp. gr. sec. post.

79.84 Intersect N. L. 33 Lk. N. of post.

This mile over hilly 3<sup>rd</sup> rate land.

Timb. Beech, Poplar, Oak Sugar.

West correct line between sec. 20 & 29.

39.92 set gr. sec. post. from which

a Beech 8 in. dia. bears S 38 E. 23 Lk. dist.

a Do. 8 " " " N 38 W. 6 " "

T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind <sup>a</sup>/<sub>11</sub>

79.84 Section corner.

East on Random between Secs 21 & 28.

40.00 set temp. gr. sec. post.

44.00 a Run 50 lks. wide S 25<sup>o</sup> E.

69.15 a stream 8 " " S 30<sup>o</sup> W

79.88 Well 53 lks. S. of post.

This mile over till 3<sup>rd</sup> rate  
land. Tim. Beech Poplar and  
Sugar.

North Between Secs 21 & 22.

37.75 a Beech 16 in. diam.

40.00 set gr. sec. post. from which

a Beech 14 in. dia. bears N 54 W. 28 lks. &

a Dr. 20 " " " S 67 E. 22 dist.

56.50 a stream 10 lks. wide C.E.

57.30 a Beech 16 in. diam.

69.25 a stream 14 lks. wide Course S 70 E.

80.00 set post loc. to Secs 15, 16, 21 & 22, fr. wh.

a Sugar 15 in. dia. bears S 19 E. 23 lks. dist. &

a Blackberry 10 in. dia. br. S 77 E. 16 " "

Over Broken 3<sup>rd</sup> rate land. Tim. Beech, Poplar Sugar some under  
growth of spruce.

January 7<sup>th</sup> 1811.

West correct line between Secs 21 & 28.

39.94 set gr. sec. post. from which

a Beech 15 in. dia. bears S 76 W. 16 lks. dist.

a Dr. 14 " " " S 61 E. 11 " "

79.88 Section corner.

North Between Secs 20 & 21.

13.00 a Run 45 lks. wide Course E.

38.14 a Beech 20 in. diam.

96.13

T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind. Co.

40.00 Set q. sec. post, from which  
a Beech 6 in. dia. bears N 54 W. 14 lb. dist.  
a Do. 14 " " " S 54 E. 15 " "

48.45 a Do. 24 " "

53.65 a stream 12 lb. wide course S. W.

80.00 set post loc. Sec. 16, 17, 20 & 21, fr. wh.

a Sugar 12 in. dia. bears S 78 E. 15 lb.

a Beech 8 " " " N 61 W. 22 lb. dist.

This mile over hilly 3<sup>rd</sup> rate  
land. Timber: Beech, Oak, Poplar  
and Sugar.

East on Maudam betw<sup>n</sup> Sec. 16 & 21.

18.50 a stream 12 lb. wide C. S. W.

40.00 set temp. q. sec. post.

61.50 a stream 15 lb. wide S 60 E.

80.10 Fell 22 lb. S. of post.

Over hilly 3<sup>rd</sup> rate land Timber:  
Beech, Poplar and Sugar

East on Maudam betw<sup>n</sup> Sec. 15 & 22.

3.00 a stream 14 lb. wide runs S 70 E.

40.00 set temp. q. sec. post.

57.00 a stream 12 lb. wide C. S. E.

79.94 Fell 29 lb. S. of post.

This mile over 2<sup>nd</sup> rate land.  
Timber, Beech Poplar & Sugar.  
The land is considerably broken.

North Between Sec. 14 & 15.

27.90 a Beech 8 in. diam.

40.00 Set q. sec. post, from which

a Beech 6 in. dia. bears S 45 W. 4 lb. dist. x

a Do. 12 " " " S 80 E. 35 " "

59.50 a stream course E.

55.40 a Beech 20 in. diam.

97.

S. 13 N. E. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

80.00 set post hor. to sec. 10, 11, 14 & 15, from wh.  
a Beech 16 in. dia. bears N 45 E. 5<sup>th</sup> dist.  
& a Sugar 8 " " " S 39 E. 6 " "  
This mile over level land, 1<sup>st</sup> rate.  
Timber Beech, Poplar, Ash Sugar  
spice Undergrowth.

---

East On Maudam Section, Sec. 11 & 14.  
22.50 a Run 15<sup>th</sup> lb. wide Course S. E.  
40.00 set q. sec. temp.  
53.00 a Bayou of the River  
57.50 To W. Water 215<sup>th</sup> lb. wide C. L.  
80.00 Well 17<sup>th</sup> lb. S. of post.  
This mile over level rich land.  
Timber Beech, Poplar, Sugar  
and Walnut.

---

West correct line between sec. 11 & 14.  
40.00 set q. sec. post, from which  
a Blackberry 12 in. dia. bears N 21 W. 27<sup>th</sup> lb.  
a Sugar 12 " " " S 11 W. 10 " dist.  
80.00 Section Corner.

---

West correct line between sec. 15 & 22.  
39.97 set q. sec. post, from which  
a Beech 14 in. dia. bears N 85 W. 6<sup>th</sup> lb. dist.  
& a Sugar 12 " " " S 76 E. 10 " "  
79.94 Section Corner.  
We have had wet weather enough  
God knows. January 8<sup>th</sup> 1811.

---

North Between Sections 15 & 16.  
2.40 a stream 12<sup>th</sup> lb. wide S. 60 E.  
22.90 a Beech 12 in. diam.  
40.00 set q. sec. post, from which  
a Beech 5 in. dia. bears N 22 W. 14<sup>th</sup> lb. dist.



98. S. 13 N. No. 12 E. 2<sup>nd</sup> Mer. Ind. "

ch. Lks. a Beech 15 in. diam. bears S 46 E, 14 lks. dist.  
41.04 a Do. 18 " "  
80.00 set post cor. to sec. 9, 10, 15 & 16, fr. wh.  
a Beech 9 in. dia. bears N 60 W, 5 lks. dist. X  
a Sugar 15 " " " S 73 E, 22 " "  
This whole mile over 2<sup>nd</sup> rate  
land, with gentle ascents and  
descents. Limb. Beech, Poplar &  
Sugar. No. 3. Spice.

---

West correct line betw<sup>en</sup> sec. 16 & 21.  
40.05 set gr. sec. post, from which  
a Beech 20 in. dia. bears N 49 E, 30 lks. dist.  
& a Do. 10 " " " S 72 E, 28 " "  
run in Jan. 1811.  
80.10 Section corner.

---

North Between sections 19 & 20.  
19.12 a Beech 18 in. diam.  
29.30 a stream 12 lks. wide S. 20 E.  
40.00 set gr. sec. post, from which  
a Beech 15 in. dia. bears S 59 E, 9 lks. dist.  
a Do. 7 " " " S 64 W, 15 " "  
73.30 a B. Oak 20 in. diam.  
75.00 a stream 8 lks. wide E. N. E.  
80.00 set post cor. to sec. 17, 18, 19 & 20,  
a Beech 20 in. diam. for post.  
This mile over hilly 3<sup>rd</sup> rate land.  
Limb. Beech Poplar some  
Oak & Sugar.

---

West Between sections 18 & 19.  
10.50 a stream 10 lks. wide E. N.  
17.20 a Beech 20 in. diam.  
40.00 set gr. sec. post, from which  
a Sugar 9 in. dia. bears S 75 W, 28 lks. dist. X

S. 13 N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind<sup>g</sup>.

ch. 40. a Sugar 12 in. dia. bears S 3 E. 29 lks. dist.

47.50 a Beech 18 " " "

74.25 a Stream Course S. W.

79.60 Well 35 lks. N. of Holmes post on W.

Boundary & set post Cor. to sec. 18 & 19.

a Beech 10 in. dia. bears E. 5 lks. dist. &

a Do. 18 " " " N 78 W. 30 " "

This mile over hilly 3<sup>rd</sup> rate land.

Timb. Beech, Oak Poplar & Sugar.

East On Random between Sec. 17 & 20.

6.00 a Creek 35 lks. wide C. S. E.

34.75 a Run 20 " " S. S.

40.00 Set temp. gr. Sec. post.

44.25 a Stream Course South.

80.10 Well 8 lks. N. of post.

The W. 1/2 of this mile over level 2<sup>nd</sup> rate land. The E. 1/2 over rough 3<sup>rd</sup> rate land. Timber Beech Poplar & Sugar

North Between Sections 16 & 17.

5.12 a Beech 24 in. diam.

40.00 Set gr. Sec. post, from which  
a Beech 20 in. dia. bears S. 30 lks. dist. &  
a Do. 14 " " " N 10 W. 28 lks. "

Over very hilly 3<sup>rd</sup> rate land. Beech,  
Oak Poplar & Sugar.

50.00 a small Stream Course East.

59.65 a Beech 20 in. diam.

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, fr. which  
a Sugar 14 in. dia. bears S 5 E. 21 lks. dist. &  
a Beech 20 " " " N 23 W. 13 " "

This 1/2 mile over level 2<sup>nd</sup> rate land.

Timb. Beech Poplar & Sugar.

Spice Undergrowth.

100. S. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind. a  
ch. 960.

West correct line between Sec. 12 & 14.

40.05 Set gr. sec. post, from which  
a Beech 8 in. dia. bears N 21 W. 5 ch. dist.  
a Beech 8 " " " 46 2 E. 13 " "

80.10 Section corner.

---

North Between sections 17 & 18.

12.50 a Run 35 ch. wide S 30 E.

22.55 a Beech 18 in. diam.?

40.00 Set gr. sec. post, from which  
a Beech 10 in. dia. bears N 73 E. 30 ch. dist.  
a Beech 16 " " " N 24 W. 37 " "

75.25 a Beech 18 " "

80.00 Set post cor. to Secs. 7, 8, 17 & 18, fr. wh.  
a Beech 20 in. dia. bears S 60 E. 27 ch. dist.  
a Beech 20 " " " N 76 W. 45 " "

The S. 1/2 of this mile over level 2<sup>nd</sup>  
rate land. Timber: Beech, Poplar &  
Sugar. The N. 1/2 over Broken  
3<sup>rd</sup> rate land Beech Poplar Sugar  
and Oak.

---

East On Random between Secs. 8 & 17.

35.00 a Run 15 ch. wide course S.

40.00 Set temp. gr. sec. post. /

79.89 Intersect N & S. line at post.

This mile over 2<sup>nd</sup> rate land, soil  
considerably broken. Timber Beech  
Poplar Sugar. Spice and undergrowth.  
January 9<sup>th</sup> 1811.

---

~~East On Random betw. Secs. 17 & 20.~~

~~6.00 a Creek 35 ch. wide course S. E.~~

~~34.75 a Run 20 " " " S.~~

~~40.00 Set gr. sec. post, temp.~~

~~44.25 a small stream course South.~~

T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>d</sup>  
46.40?

80.10 Well 8 lb. N. of post.

The W. half of this mile over  
level 2<sup>nd</sup> rate land. The E. 1/2 over  
rough 3<sup>rd</sup> rate land. Limb. Beech  
Poplar & Sugar.

---

North Between Sec. 16 & 17.

5.12 a Beech 24 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 20 in. dia. bears S 30. W. dist.  
a Do. 14 " " " N 10 W. 28 " "  
Over very hilly 3<sup>rd</sup> rate land.  
Limb. Oak Poplar Sugar.

50.00 a Stream Course E.

59.65 a Beech 20 in. diam.

80.00 Set post cor. to Sec. 8, 9, 16 & 17, fr. wh.  
a Sugar 14 in. dia. bears S 15 E. 21 lb. dist.  
a Beech 20 " " " N 23 W. 13 " "  
This mile over level 2<sup>nd</sup> rate  
land. Limb. Beech, Poplar &  
Sugar -- Spice undergrowth.

---

West Correct line betw<sup>n</sup> Sec. 17 & 20.

40.05 Set gr. sec. post. from which  
a Beech 8 in. dia. bears N 21 W. 5 lb. dist.  
a Do. 8 " " " S 62 E. 13 " "

80.00 Section corner.

---

North Between Sections 17 & 18.

12.50 a Run 35 lb. wide Course S 30 E.

22.55 a Beech 18 in. dia.

40.00 Set gr. sec. post. from which  
a Beech 10 in. dia. bears N 73 E. 30 lb. dist.  
a Do. 14 " " " N 24 W. 37 " "

75.25 a Do. 18 " "

80.00 Set post cor. to sec. 7, 8, 17 & 18.



T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind. a.  
Ch. 10.

a Beech 20 in. dia. bears 1606.27 lbs. ~~at~~  
a Do. 20 " " " N 76 W. 45 " "  
Land, S. 1/2 of this mile over  
level 2<sup>nd</sup> rate land. Timber,  
Beech, Poplar, Sugar, Oak.

East On Random between sec. 8 & 17.

35.00 a stream 15 lbs. wide C. S.

40.00 Set gr. sec. post. from which

79.89 Intersect N. & S. line at post.

This mile over 2<sup>nd</sup> rate soil  
considerably broken. Timber,  
Beech, Poplar and Sugar. under  
growth of spice.

January 9<sup>th</sup> 1811.

East On Random between Sections 9 & 16.

39.20 a stream 18 lbs. wide Course E.

40.00 Set temp. gr. sec. post. of

67.50 a stream 12 lbs. wide Course N. 20 E.

75.35 a Do. 12 " " " N. E.

80.24 Well 13 lbs. S. of post.

Level 2<sup>nd</sup> rate land. Timber  
Sugar and some Ash Beech  
Poplar. — Spice undergrowth.

East On Random between sec. 10 & 15.

7.70 a stream 15 lbs. wide C. North.

40.00 Set temp. gr. sec. post.

80.20 Well 39 lbs. S. of post.

Over level good 2<sup>nd</sup> rate land.  
Timber Beech, Poplar Oak & Sugar.

North Between Section 10 & 11.

17.25 a Run 25 lbs. wide C. E.

29.50 a Beech 14 in. diam.

T.B.R. S.E. 12 E. 2<sup>nd</sup> Mer. Ind. a

102.

- 40.00 set gr. sec. post from which  
a Sugar 14 in. dia. bears N 73 E, 37 lb. dist.  
a Beech 9 " " " N 76 W, 24 " "  
53.80 a Run 30 lb. wid c. N 80 E.  
64.80 a Beech 16 in. diam.  
80.00 set post cor. to sec. 2, 3, 10 & 11 fr. which  
a Beech 12 in. dia. bears N 57 W, 22 lb. dist. }  
a Sugar 20 " " " N 59 E, 2 " "  
Over level 2<sup>nd</sup> rate land. Timber,  
Beech, Poplar and some very  
large Sugar trees.

- 
- West corner line between Sections 10 & 15.  
40.10 set gr. sec. post from which  
a Beech 22 in. dia. bears N 41 E, 35 lb. dist.  
& a Do. 18 " " " N 40 W, 12 " "  
80.20 Section corner.

---

North Between Sections 9 & 10.

- 5.75 a stream 15 lb. wide runs N.E.  
9.70 a Wh. Ash 24 in. diam.  
16.50 a stream 12 lb. wide runs East.  
30.60 a Do. course E.  
40.00 set gr. sec. post from which  
a Sugar 9 in. dia. bears N 9 E, 16 lb. dist.  
& a Do. 10 " " " N 42 E, 21 " "  
56.15 a Beech 15 in. diam. stands on the  
South Bank of a Run 30 lb. wide  
course E.  
73.10 a stream 14 lbs. wide course S.E.  
80.00 set post cor. to sec. 3, 4, 9 & 10 fr. wh.  
a Beech 12 in. dia. bears N 4 E, 8 lb. dist. }  
a Do. 20 " " " N 22 E, 24 " "  
Over level 1<sup>st</sup> rate land. —  
Tim. Beech Poplar & Ash with a great  
many large Sugar trees. No. 3. Spice

103. S. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

West corner line between Secs 9 & 16.

40. 12 Set gr. sec. post, from which  
a Sugar 8 in. dia. bears N 50 W. 6 lb. dist.  
a Sugar 12 " " " S 3 E. 34 " "  
80. 24 Section corner.
- 

North Between sections 8 & 9.

37. 58 a Sugar 15 in. diam.  
40. 00 Set gr. sec. post, from which  
a Beech 4 in. dia. bears N 81 W. 10 lb. dist.  
a Beech 16 " " " S 81 E. 12 " "  
62. 00 a Sugar 20 " "  
74. 50 a stream 6 lb. wide C. N. E.  
80. 00 Set post loc. to Secs 4, 5, 8 & 9, ft. wh.  
a Beech 12 in. dia. bears N 72 E. 17 lb. dist.  
a Do. 16 " " " S 82 W. 11 " "  
This mile over level 2<sup>nd</sup> rate  
land. Timber Beech Sugar & Poplar.  
Spice undergrowth.
- 

West corner line between Secs 8 & 17.

39. 74 1/2 Set gr. sec. post, from which  
a Beech 16 in. dia. bears S 77 W. 21 lb. dist.  
a Beech 24 " " " N 71 E. 14 " "  
79. 89 Section corner.
- 

West Between Secs 7 & 18.

13. 35 a Beech 22 in. dia. stands and  
high bank of a Run 20 lb. wide  
running South.  
33. 00 a stream 10 lb. wide C. S. 20 E.  
40. 00 Set gr. sec. post, from which  
a Beech 8 in. dia. bears N 41 E. 22 lb. dist. &  
a Sugar 20 " " " S 5 E. 26 " "  
40. 50 a stream 15 lb. wide C. S. E.  
60. 60 a Beech 14 in. diam.

S. 13 N. T. 12 E. 2<sup>nd</sup> Mer. Ind <sup>104.</sup>

66.61 To New Boundary & set post, from wh.  
a Sugar 18 in. dia. bears N 77 W. 22 lb. dist. &  
an Ash 16 " " " N 48 E. 6 " "  
Most of this mile over Broken  
3<sup>rd</sup> rate land. Beech, Poplar, Sugar.

North Between Sec. 7 & 8.

19.75 a Small Stream Course S. W.

28.20 a Beech 14 in. dia.

40.00 set gr. sec. post, from which  
a Beech 8 in. dia. bears N 49 E. 38 lb. dist. &  
a Sugar 10 " " " S 91 E. 48 " "

65.25 a Beech 15 " "

80.00 set post loc. to Sec. 5, 6, 7 & 8, from wh.  
a Sugar 8 in. dia. bears N 85 W. 25 lb. dist.  
a Sugar 20 " " " S 19 E. 10 " "  
This mile over Broken 3<sup>rd</sup> rate land.  
Timb. Beech, Sugar, Poplar.

East On Random betw<sup>n</sup> 5 & 8.

40.00 set temp. gr. sec. post.

50.45 a Stream 14 lb. wide N 60 E.

71.00 a Stream 12 " " " C. N.

79.82 Well 24 lb. S. of post.

This mile over 2<sup>nd</sup> rate level  
land. Timber, Beech Poplar Sugar  
The ground considerably broken.

East On Random between Sec. 4 - & 9.

35.50 a Stream 15 lb. wide C. N. 80 E.

40.00 set temp. gr. sec. post, from which

47.50 a Run 35 lb. wide Course S 75 E.

67.20 a Stream 12 " " " S. E.

78.00 a Stream, South

86.34 Well 23 lb. S. of post.

This mile over a 2<sup>nd</sup> rate soil



105. T. 13. N. R. 12 E. 2<sup>nd</sup> Mer. Ind.

ch. & sp. considerably broken. Timber Beech,  
Poplar & Sugar.

---

East on Random betw<sup>n</sup> Secs. 3 & 10.  
January 10<sup>th</sup> 1811.

19.00 a stream 12 lks wide C. S.

33.50 a Do. 14 " " C. S.

40.00 Set temp. gr. sec. post.

80.34 Well 3 lks. S. of post.

This mile over level 2<sup>nd</sup> rate land.  
Timber Beech, Poplar, Sugar, and  
spice undergrowth.

---

East on Random betw<sup>n</sup> Secs. 2 & 11.

38.00 To River Bottom.

40.00 Set temp. gr. sec. post.

41.75 a creek 70 lks wide C. S. E.

64.00 To White Water 250 lks wide S. W.

80.00 Well 31 lks. S. of post.

This mile over level 1<sup>st</sup> rate  
land. Timber Beech Poplar Sugar  
Ash and Blackberry.

---

West corner line between Secs. 2 & 11.

40.00 Set gr. sec. post. from which  
an Oak 5 in. dia. bears N. 4 E. 23 lks. dist. &  
a Blue Ash 12 in. dia. bears S. 10 W. 12 lks.

80.00 Section corner.

---

North Between Sections 2 & 3.

25.00 a Sugar 18 in. diam.

40.00 Set gr. sec. post. from which  
a Hickory 7 in. dia. bears N. 24 lks. dist. &  
a Blackberry 5 in. " " S. 27 E. 16 " "

63.20 a Sycamore 5 " dia.

70.00 a creek 40 lks. runs S. 25 E.

T. B. N. To 12 E. 2<sup>nd</sup> Mer. Ind. a.  
ch. 4<sup>th</sup>.

81.60 Intersect Town Boundary 123<sup>1</sup>/<sub>2</sub> lks. W.  
of post, set post from which  
a Beech 11 in. dia. bears N 68 E. 15 lks. dist.  
a Do. 10 " " " N 34 W. 6 " "  
This mile over level 2<sup>nd</sup> rate land  
Timb. Beech Poplar & Sugar.

---

West Corner line between Sec. 3 & 10.

40.17 Set gr. Sec. post, from which  
a Beech 10 in. dia. bears S 7 E. 20 lks. dist. X  
a Do. 12 " " " N 1 W. 24 " "  
80.34 Section corner.

---

North Between Sec. 3 & 4.

38.54 a Beech 22 in. dia.  
40.00 Set gr. Sec. post from which  
a Beech 9 in. dia. bears N 46 W. 14 lks. dist.  
a Beech 9 " " " S 4 W. 9 " "  
41.40 a Do. 14 " "  
44.50 a stream 10 lks. wide N 70 E.  
82.80 To Town Boundary. 165 lks. W. of Holmes  
post and set post cor. to Sec. 3 & 4.  
from which  
a Beech 6 in. dia. bears N 88 E. 14 lks. dist. X  
a Do. 12 " " " S 64 W. 13 " "  
Overland 1<sup>st</sup> rate with gentle ascents  
and descents. Tim. Beech, Poplar  
Sugar and Ash.

---

West corner line Between Sec. 4 & 9.

40.17 Set gr. Sec. post, from which  
an Elm 12 in. dia. bears N 71 W. 13 lks. dist.  
a Sugar 8 " " " N 78 E. 31 " "  
80.34 Section corner.

---

North Between Sec. 4 & 5.

T. 13 N. R. 14. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

- 9.50 a Run 30<sup>th</sup> wide course S80E.  
 33.60 a Sugar 18 in. diam.  
 40.00 Set q. sec. post, from which  
 a Beech 18 in. dia. bears S64E, 15<sup>th</sup> dist.  
 a Sugar 5 " " " S25W, 25 " "  
 56.00 a Stream course S.E.  
 83.42 Intersect Town line 272<sup>th</sup> W. of  
 post & set post cor. to sec. 4 & 5. fr. wh.  
 a Blue Ash 12 in. dia. bears N66E, 15<sup>th</sup> dist. &  
 a Sugar 16 " " " S56W, 23 " "  
 Over level 2<sup>nd</sup> rate land. Beech,  
 Poplar, Sugar and Ash.

- West corner line betw<sup>n</sup> sec. 5 & 8.  
 39.91 Set q. sec. post, from which  
 a Sugar 10 in. dia. bears S1W, 23<sup>th</sup> dist.  
 a Coffeewood 10 in. dia. " N40E, 13 " "  
 79.82 Section corner.

- West Between Sections 6 & 7.  
 24.80 a Stream 10<sup>th</sup> wide C. S.  
 26.15 a Sugar 18 in. diam.  
 31.65 a Run 30<sup>th</sup> wide course S.E.  
 40.00 Set q. sec. post, from which  
 a Beech 8 in. dia. bears S21W, 10<sup>th</sup> dist.  
 a Sugar 20 " " " S15E, 22 " "  
 41.57 a Do. 14 " "  
 54.50 To W. Boundary. & set post, from wh.  
 a Beech 22 in. diam. bears S5E, 38<sup>th</sup> dist.  
 a Do. 20 " " " S55E, 48 " "  
 Over 2<sup>nd</sup> rate land. Timber  
 Beech, Poplar & Sugar.

- North Between Sections 5 & 6.  
 18.80 a Stream 14<sup>th</sup> wide C. E.  
 28.00 a Sugar 12 in. diam.

108.

T. 13 N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind.

- 34.00 a Run 25 lks. wide N 75 E.  
 40.00 Set gp. sec. post from which  
     a Buck 8 in. diam. bears N 71 W. 24 lks. dist.  
     a Sugar 18 " " " S 44 E. 10 " "  
 57.85 a Run 20 lks. wide Course East.  
 60.20 a Beech 20 in. diam.  
 84.27 To Town Line 250 lks. W. of Holmes  
     post & set post hor. to sec. 5 & 6, fr. wh.  
     a Wh. Oak 15 in. dia. bears N 25 E. 23 lks. dist.  
     & a L. O. 14 " " " S 15 W. 25 " "  
     This mile over a second rate soil  
     somewhat broken. Timber Beech  
     Poplar Ash and many fine Sugars.

---

North Between Sec. 1 & 2.

January 11<sup>th</sup> 1811.

- 7.30 To W. Water 185 lks. wide Course S. W.  
 29.00 a Sugar 15 in. diam.  
 40.00 Set gp. sec. post, from which  
     a Blackberry 15 in. dia. bears N E. 19 lks. dist.  
     a Sugar 9 " " " N 23 E. 24 " "  
 47.85 a Blackberry 15 " "  
 80.83 To Town Boundary 72 lks. W. of post. &  
     Set post hor. to Sec. 1 & 2, from which  
     a Blackberry 15 in. dia. bears S 73 E. 27 lks. dist.  
     & a Wh. Ash 20 " " " N 53 W. 24 " "  
     Over level low land. Timber,  
     Beech Sugar and Elm.

---

East On Random between sec. 1 & 12.

- 40.00 Set temp. gp. sec. post.  
 80.67 Intersect N & E line 6 lks. N. of post.  
     This mile over 2<sup>nd</sup> rate land.  
     Timb. Beech Poplar and  
     Sugar. And 8th. Spice.
-



109. T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind.

West corner line between Sec. 1 & 12.

40.33 $\frac{1}{2}$  Set gn. sec. post from which  
a Beech 10 in. dia. bears N 10 E. 5 lks. dist. &  
a Wh. Oak 30 in. " " N. 17 " "

80.67 sec. cor.

Surveyed in 1811.

By W<sup>m</sup> Ludlow,

Dep. Sur.

---

West Between Sec. 18 & 19

0.07 Intersect W. Boundary at post, set post  
cor. to sec. 18 & 19, from which  
a Beech 24 in. dia. bears N 20 W. 23 lks. dist.  
& a B. Oak 20 " " " N 35 E. 15 " "

---

West Between Sec. 7 & 18. from the corner  
on Indian Boundary line.

14.01 Intersect W. Boundary 55 lks. S. of post.  
Set post cor. to sec. 7 & 18, from which  
a Beech 18 in. dia. bears N 59 E. 15 lks. dist. &  
a Do. 18 " " " S 60 W. 49 " "

---

West Between sec. 6 & 7. from post on old  
Indian Boundary line.

27.28 Intersect W. boundary 20 lks. S. of post and  
set post cor. to sec. 6 & 7, from which  
a Beech 15 in. dia. bears S 71 W. 8 lks. dist. &  
a Poplar 18 in. dia. " N 75 W. 30 lks. dist.

August 20<sup>th</sup> 1819.

William B. Laughlin  
Deputy Surveyor.

---

T. 13 N. R. 12 E. 2<sup>nd</sup> Mer. Ind <sup>a</sup>

I certify that the foregoing transcripts  
of the field Notes of Township 8<sup>th</sup> 13  
North in Range 8<sup>th</sup> 12 East 2<sup>nd</sup> Mer.  
in Indiana, has been compared with  
the Original in this office and  
found to be correct.

Surveyor General's Office  
Detroit Nov. 1, 1849

Lucius Lyon  
Ch. Genl.